

GOVERNMENT OF INDIA

Form No. 17

Gram : Geosurvey
Phone : 2321661- M.M. Div.
Fax : 0522-2376407
Epabx : 2326488, 2378796
Extn. : 149,142,176,177

INVITATION TO TENDER

NO. 1075P/ D-19022/ 8/2007/26

Dated 23rd July, 2008

From
The Sr. Dy. Director General,
Geological Survey of India,
Northern Region,
Sector-'E', Aliganj,
Lucknow-226024

To,

Dear Sirs,

I shall be obliged if you kindly submit sealed tender for the stores listed below the invitation to tender is subject to the conditions as for schedule below :

Sl.	Description of Stores	Unit	Qty.	Amount
1.	NX casing with coupling (03 mtr standard length) Technical specification as per Annexure -1 Note: 1. Free delivery at this office. 2. Payment on bill basis i.e. payment after satisfactory supply of stores. 3. Specification as per annexure-1	No.	100	

Yours faithfully,

(J.P.YADAV)

Stores Officer

For Sr. Dy. Director
Genera, NR

P.T.O.

1. The cover containing quotation should be sealed and super scribed "Tender for **"Drilling Accessories (Casing)"** due date of opening **25.08.2008** (1600 hrs)" and posted in the Tender Box kept in the office of the **Deputy Controller of Stores, Materials Management Division, Geological Survey of India, Northern Region, No.-2 Sector-'E' Aliganj, Lucknow-226024 not later than 1100 hrs. on 25.08.2008**, It will be opened at 1600 hrs on the same date. **Covers not so super scribed are liable to be ignored.**
2. It is the responsibility of tenderers to see that tenders reach the office of the Geological Survey of India at the above address by due date and time. The fact of having posted an offer in time will not bind the G.S.I. in case such an offer is delayed in post or mislaid/misdirected due to incomplete or incorrect superscription or other causes to consider the offer.
3. An authorized representative may remain present at the time of opening of the tender.
4. The offer should remain open for three month from the date of opening of tender.
5. It should be specifically stated whether Sales Tax / Packing / Delivery / Insurance charges, etc. are payable in addition to the price quoted otherwise, the price quoted will be assumed to be all inclusive and no separate tax or charges will be paid the event of the offer being accepted.
6. The earliest date by which delivery can be completed should be mentioned in the tender, Failure to effect delivery by the stipulated date may render the tenderers liable to pay liquidated damage at the rates prescribed by the Govt.
7. Time for and date of delivery of dispatch will be the Essence of the contract.
8. The stores will be inspected by a representative of the G.S.I. before and / or at the time of delivery and unacceptable stores will be subject to removal/ replacement at the risk, cost and responsibility of the supplying firm.
9. A sum of **Rs. 17,500/=** will have to be deposited as call Deposit in any Nationalized Bank in favour of the Deputy Director General, NR, Geological Survey of India, No. 2 Sector 'E' Aliganj, Lucknow 226024. Bidders who are registered with NSIC under single point registration of stores as per Tender Schedule are exempted from furnishing BID SECURITY. The Bidders who are registered with DGS&D for supply of the particular stores proposed to be purchased are exempted from furnishing BID SECURITY. For availing such exemption mere registration with DGS&D as Indian Agent or so will not be sufficient. The Bidder has to be registered as a supplier and continues to receive and execute contracts, from DGS&D to avail exemption in furnishing BID SECURITY.
10. An amount representing 5% of the Value the purchase order (if placed) will have to be deposited into the nearest nationalized Bank as performance security deposit within 10 days of the receipt of information regarding the acceptance of an offer for due performance of the contract.
11. As there is no foreign exchange available with the G.S.I, the stores are to be supplied against the quota license. If necessary, of the supplying firm.
12. The persons signing the tender should duly authenticate any errors or correction. Overwriting should be avoided.
13. The stores are to be securely packed and delivered to the consignee at above mentioned address .
14. Rectification of any defects of cracks etc. noticed during a period of one year from the date of supply shall be the responsibility of the supplying firm at their own cost and risk.
15. **The G.S.I., reserves the right to receipt or reject any tender without assigned any reason.**
16. Further details, if required, can be had from the office of the Deputy Controller of Stores, Northern Region, Geological Survey of India, Sector 'E', Aliganj, Lucknow-226024.

SPECIFICATION OF CASINGS

Rotary core drilling flush coupled casing, right hand threaded, complete with coupling and finish in all respect including thread protector conforming to the following specification:

A) DIMENSION & CONSTRUCTION:

(i) Right hand threaded flush coupled casing conforming to BS4019:Pt:I:1974 with amendment of May, 1976 complete in all respect with working length of 3Mts. including coupling.

(ii) Mechanical Properties:-

<i>Components</i>	<i>Tensile Strength Rm.Min.</i>	<i>Yield stress Re.Min</i>	<i>Elongation 5.65/So Min</i>	<i>Hardness HB Min. (sec NOTE1.) (For information only</i>	<i>Heat treatment (Sec NOTE-2.)</i>
Casings and coupling size R To H	620	525	12	183	Tempered

(iii) Eccentricity shall not exceed 5:% of nominal thickness ‘Q’ of the tube and shall be calculated

As:-

$$\frac{(Q_{max} - Q_{min}) \times 100}{2 Q_{nom}}$$

where Q_{max} and Q_{min} shall be the measured values of wall thickness in the same section

(iv). Straightness:-When measured over length of the tube by rolling against a straight edge, the maximum deviation shall not exceed 1 in 1200.

(v) Each casing shall be supplied complete with coupling with suitable protective lubricants on threads. Both ends shall be provided with suitable thread protector. The entire surface internal/external shall be provided with suitable and durable antirust coating.

B) Other requirements:-

The tenderer shall specifically mention the following in their offers without any of which the tender is liable to be rejected.

i) The casings in its connection and other dimension shall ensure perfect interchangeability, smooth mating and operation in combination with standard counterparts and connections of corresponding equipments under the same standard. Thread mating shall ensure perfect seal.

- ii) Make and source of acquirement of raw tubing ISMT/MSL /other reputed indigenus tube manufacturer. Mechanical properties as per NIT.
- iii) The tenderers shall have to furnish certificate for the tubes for ascertaining the quality of material.
- iv) The indenter will have the option to carry out actual test at any recognized laboratory of the purchaser's choice to confirm the specified parameters by destructive test on a suitable random sample of the store at supplier's risk and cost.
- v) Facts in detail to substantiate possession of adequate technical capability based on availability of requisite machinery, authenticated measuring instruments such as thread gauges, straight edge, gauges for checking bore and arrangement for checking the eccentricity have to be furnished by the tenderer.
- vi) Price shall be quoted on the basis of FOR destination at M.M. Division, Geological Survey of India, Northern Region, Sector-E, Aliganj, Lucknow.
- vii) Delivery of stores shall be through road transport, in properly packed condition to avoid any damage in transit.
- viii) Non ambiguous tenders covering all requisite detail indicating necessary breakup of price wherever required and comparatively prompt delivery shall receive preference in deciding the competitive tenders.
- ix) Deviation, if any, from the given specifications must be brought out in sufficient detail and clarifications by the tenderer in their quotations.
- x) In case of any premature breakdown, the company has to assure free replacement of outer tube/inner tube/head of core barrel.

(J.P. YADAV)

Stores Officer
